

T 9 N

R 4 E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Brown County are stored on microfilm Reel 5923 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

Township N. 9 North, Range N. 4 East 2nd Mer.

Range line	Var.	North On the East Side of Sec. 13
North Between Ranges 4 & 5 E. Township 9 North		16.14 A. Branch 8 lbs S. E
On the East Side of Sec. 36		32.75 A. Hickory 14 in. diam.
4.80 A. Branch 8 lbs S. E		40.00 gr. sec. corner Ironwood 3 lbs 10 1/2
15.14 A. Beech 24 in. diam.		Beech 4 lbs 10 1/2
40.00 gr. sec. corner	Chas. Oak 10 lbs 11 1/2	53.70 A. Beech 30 lbs S. E
	Grum 14 lbs 8 1/2	60.00 A. Beech 18 in. diam.
47.25 A. Hickory 18 in. diam.		80.00 Set post corner of Sec. 12 1/2
55.10 A. Branch 6 lbs S. E		Beech 6 lbs 11 1/2
65.56 A. Hickory 24 in. diam.		do 2 1/2 lbs 2 1/2
80.00 Set post corner of Sec. 25 1/2		West 1/2 level land, East 1/2 Broken land -
	Hickory 11 lbs 30 1/2	Beech 1 Oak 11 lbs 1/2 Ironwood
	W. Oak 48 lbs 3 1/2	North On the East Side of Sec. 12
Land Rolling, Beech, Hickory, Oak, Dogwood		16.23 A. W. Oak 40 in. diam.
North On the East Side of Sec. 25		27.05 A. Beech 30 lbs S. E
23.00 A. Branch 8 lbs S. E		40.00 gr. sec. corner Beech 20 lbs 30 1/2
23.40 Ash Elm 24 in. diam.		do 30 lbs 15 1/2
40.00 gr. sec. corner	Beech 15 lbs 11 1/2	63.12 A. W. Oak 15 in. diam.
	do 18 lbs 2 1/2	80.00 Set post corner of Sec. 1 1/2
50.90 A. Oak, Oak 36 in. diam.		Beech 14 lbs 2 1/2
72.75 A. W. Oak 36 in. diam.		W. Oak 36 lbs 1 1/2
80.00 Set post corner of Sec. 24 1/2		Broken land, Soil good, Oak 1/2 Beech 1/2
	W. Oak 18 lbs 10 1/2	Oak Sapwood, Green briars &c
	Chas. Oak 6 lbs 11 1/2	North On the East Side of Sec. 1
Rolling land, Beech, Oak, Mug. Dogwood, Briars &c		1.42 A. Oak, Oak 36 in. diam.
North On the East Side of Sec. 24		16.80 A. Branch 6 lbs S. E
31.70 A. Beech 50 lbs S. E		40.00 gr. sec. corner Dogwood 8 lbs 31 1/2
42.00 gr. sec. corner	Beech 9 lbs 11 1/2	do 5 lbs 36 1/2
	Grum 24 lbs 19 1/2	44.52 A. W. Oak 30 in. diam.
62.75 A. Beech 20 in. diam.		79.17 Set post corner of Towns 9 & 10 Range 4
80.00 Set post corner of Sec. 13 1/2		Sec. 1, 6, 31, 36
	W. Oak 20 lbs 5 1/2	Beech 12 lbs 28 1/2
	Dogwood 6 lbs 35 1/2	do 8 lbs 21 1/2
Rolling land, Beech, Oak, Ironwood, Soil good		

West On Random line	Between Towns 8 & 9 N. W. 4 E. Sec. 11 1/2	True line, Between Towns 8 & 9 Range 4 East
40.00 Temporary gr. sec. post		East On the South Side of Sec. 31
80.00 Set Temporary post cor. of Sec. 35 1/2		36.50 gr. sec. corner W. Oak 18 lbs 7 1/2
Very Broken land, Oak, Beech &c		do 20 lbs 7 1/2
West Random line continued		76.50 Set post corner of Sec. 31 1/2
40.00 Temporary gr. sec. post		Beech 6 lbs 12 1/2
80.00 Set Temporary post corner of Sec. 34 1/2		do 30 lbs 36 1/2
Broken land, Oak, Beech, Hickory		East On the South Side of Sec. 32
West Random line continued		40.00 gr. sec. corner W. Oak 24 lbs 33 1/2
40.00 Temporary gr. sec. post		do 20 lbs 33 1/2
80.00 Set Temporary post corner of Sec. 33 1/2		80.00 Set post corner of Sec. 32 1/2 Sugar 10 lbs 20 1/2
Rolling land, Oak, Beech &c		do 12 lbs 15 1/2
West Random line continued		East On the South Side of Sec. 33
40.00 Temporary gr. sec. post		40.00 gr. sec. corner Beech 20 lbs 19 1/2
48.71 A. Beech 8 lbs South		do 10 lbs 32 1/2
80.00 Set Temporary post corner of Sec. 32 1/2		80.00 Set post corner of Sec. 33 1/2
Broken land, Oak &c Mug. Briars		Grum 15 lbs 70 1/2
West Random line continued		W. Oak 10 lbs 55 1/2
40.00 Temporary gr. sec. post		East On the South Side of Sec. 34
80.00 Set Temporary post corner of Sec. 31 1/2		40.00 gr. sec. corner W. Oak 40 lbs 43 1/2
Land Timber same		Grum 20 lbs 18 1/2
West Random line continued		80.00 Set post corner of Sec. 34 1/2 W. Oak 18 lbs 40 1/2
40.00 Temporary gr. sec. post		Hickory 4 lbs 2 1/2
76.50 Set post corner of Sec. 33 1/2 North of corner		East On the South Side of Sec. 35
Broken land, Oak &c Mug. Briars		40.00 gr. sec. corner Maple 8 lbs 33 1/2
June 1 st 1817		Beech 12 lbs 11 1/2
		80.00 Set post corner of Sec. 35 1/2 Beech 13 lbs 48 1/2
		do 9 lbs 22 1/2
		East On the South Side of Sec. 36
		40.00 gr. sec. corner Hickory 7 lbs 13 1/2
		Maple 7 lbs 2 1/2
		80.00 To corner of Towns 8 & 9 Range 4 E. Towns 8 & 9
		Range 5 East
		Surveyed by John M. Donald D. S.

East Between Sec: 23 & 26 On Random
 40.00 Temporary gr. Sec. post
 51.50 Crossed H. Brook 20 lbs S 45 E
 79.95 Intersected Sec. line 23 lbs South of Post
 Land: Hilly floor & heavy, very broken. W.B. Oak, Gum
 Poplar, Beech, Ang. Dogwood, Sycamore 3rd ante
 West Corrected
 39.97 gr. Sec. corner Beech 14 S 44 W 5
 do S 28 1/2 E 19
 79.95 Section corner
 North Between Sec: 22 & 23
 9.00 H. Brook 10 lbs S 70 E
 10.40 An Ash 24 in. diam.
 40.00 gr. Sec. corner W. Oak 12 S 54 E 36
 Lbs. Oak 14 S 82 W 30
 45.80 A. W. Oak 18 in. diam.
 80.00 Set post corner of Sec: 14, 15, 22, 23
 W. Oak 10 S 80 W 2 1/2
 do 18 S 38 E 14
 Land rough steep hills & rocky. W.B. Oak, Beech, Gum, Ang. Dogwood, Sycamore 3rd ante
 East Between Sec: 14 & 23 On Random
 40.00 Temporary gr. Sec. post
 80.00 Intersected Sec. line 72 lbs South of post
 Land: Hilly floor W. Oak, Beech, Gum, Ang. Dogwood, Sycamore 3rd ante
 West Corrected
 6.72 A. W. Oak 14 in. diam.
 40.00 gr. Sec. corner W. Oak 15 S 45 W 14
 do 12 S 19 E 21
 80.00 Section corner
 North Between Sec: 14 & 15
 21.70 H. Beech 12 in. diam.
 31.70 A. W. Oak 18 in. diam.
 40.00 gr. Sec. corner W. Oak 14 S 81 W 14
 Beech 10 S 85 E 1 1/2
 69.50 A. W. Oak 24 in. diam.
 80.00 Set post corner of Sec: 10, 11, 14, 15
 Beech 13 S 88 E 20
 Lbs. Oak 12 S 67 W 16 1/2
 Land: Hilly some heavy 3rd ante Lbs. W. Oak, Beech, Hickory, Ang. Dogwood & Sycamore
 East Between Sec: 11 & 14 On Random
 40.00 Temporary gr. Sec. post
 79.80 Intersected Sec. line 81 lbs South of post
 Land: Broken thickly & very poor timber same
 West Corrected
 6.70 A. B. Oak 20 in. diam.
 39.90 gr. Sec. corner Poplar 8 S 68 W 5
 Ash 8 S 73 E 9
 79.80 Section corner
 North Between Sec: 10 & 11
 5.50 A. B. Oak 24 in. diam.
 40.00 gr. Sec. corner Beech 10 S 67 W 4
 Lbs. Oak 14 S 15 E 1 1/2
 45.85 A. W. Oak 24 in. diam.
 80.00 Set post corner of Sec: 2, 3, 10, 11
 Beech 13 S 61 E 33
 do 15 S 72 W 12
 Land rough hilly & rocky. W. Oak, Beech, Gum, Ang. Dogwood, Sycamore 3rd ante
 East Between Sec: 20 & 11 On Random
 35.00 Crossed H. Brook 8 lbs S. E
 40.00 Temporary gr. Sec. post
 50.00 Crossed H. Brook 10 lbs South
 70.50 Crossed H. Brook 10 lbs South
 79.72 Intersected Sec. line 80 lbs South of post
 Rolling 3rd ante W. Oak, Beech, Gum, Dogwood &
 West Corrected
 33.64 H. Beech 14 in. diam.
 39.86 gr. Sec. corner Beech 15 West 20
 R. Oak 14 S 55 E 19
 69.42 Section corner.

North Between Sec: 2 & 3
 40.00 gr. Sec. corner Hickory 20 S 84 E 4 1/2
 Dogwood 6 S 51 W 46
 60.40 A. B. Oak 24 in. diam.
 82.27 Intersected Township line 1.93 lbs East of post
 Poplar 24 S 58 E 12
 Sugar 10 S 76 W 24 1/2
 Land: First 1/2 mile Hilly heavy floor last rolling
 W. Oak, Beech, Sugar, Ash, Poplar, Gum, Dogwood, Sycamore 3rd ante
 North Between Sec: 33 & 34
 40.00 gr. Sec. corner Hickory 18 S 22 E 12
 Dogwood 4 S 1 W 14
 49.20 A. Beech 14 in. diam.
 80.00 Set post corner of Sec: 27, 28, 33, 34
 Lbs. Oak 18 S 39 W 18
 do 15 S 49 E 18
 Land: Very hilly & steep, heavy floor 3rd ante
 W. Oak, Beech, Ang. Dogwood, Sycamore, Gum, Dogwood, Sycamore
 East Between Sec: 27 & 34 On Random
 40.00 Temporary gr. Sec. post
 80.00 Intersected Sec. line 58 lbs South of post
 Land: Rolling 3rd ante some steep hills
 W. Oak, Beech, Hickory, Gum, Ang. Dogwood, Sycamore
 West Corrected
 40.00 gr. Sec. corner W. Oak 12 S 41 W 10
 do 14 S 50 E 24
 80.00 Section corner
 North Between Sec: 27 & 28
 26.20 A. W. Oak 18 in. diam.
 40.00 gr. Sec. corner Lbs. Oak 18 S 50 1/2 W 36
 B. Oak 10 S 30 E 29
 47.70 A. Poplar 24 in. diam.
 80.00 Set post corner of Sec: 21, 22, 37, 28
 Lbs. Oak 18 S 36 W 28
 W. Oak 14 S 44 1/2 E 25
 Land: P. same
 East Between Sec: 22 & 27 On Random
 40.00 Temporary gr. Sec. post
 80.00 Intersected Sec. line 3 lbs South of post
 Land: Hilly heavy floor 3rd ante Lbs. W. Oak, Beech, Hickory, Gum, Dogwood, Sycamore
 Ang. Dogwood, Beech, Sycamore, Green briars &
 West Corrected
 11.02 A. Beech 15 in. diam.
 40.00 gr. Sec. corner B. Oak 10 S 19 E 32
 Gum 10 S 7 E 12
 80.00 Section corner
 North Between Sec: 21 & 22
 40.00 gr. Sec. corner Beech 12 S 17 W 28
 do 14 S 30 E 27
 44.26 A. W. Oak 14 in. diam.
 64.08 A. W. Oak 16 in. diam.
 80.00 Set post corner of Sec: 15, 16, 27, 22
 Hickory 10 S 50 1/2 W 2
 do 7 S 27 1/2 W 18
 Land: Broken steep hills & very poor floor 3rd ante W. Oak, Beech, Hickory, Gum, Beech, Hickory, Dogwood, Sycamore
 East Between Sec: 15 & 22 On Random
 40.00 Temporary gr. Sec. post
 79.82 Intersected Sec. line 39 lbs North of post
 Land: Rolling thickly & floor. W. Oak, Beech, Hickory, Gum, Beech, Hickory, Dogwood, Sycamore
 West Corrected
 3.46 A. W. Oak 14 in. diam.
 39.91 gr. Sec. corner W. Oak 18 S 75 E 19 1/2
 Dogwood 4 S 50 W 20
 79.82 Section corner
 North Between Sec: 15 & 16
 11.50 A. Beech 10 lbs S 40 E
 40.00 gr. Sec. corner W. Oak 6 S 15 W 18
 Hickory 14 S 83 E 1 1/2
 79.00 A. W. Oak 14 in. diam.

80.00 Set post corner of Sec. 9, 10, 15, 16
N. Oak 18 ft 36" N 23
do 14 ft 1/2 E 44
Sand & shelly poor 3rd rate. N. Oak 18 ft 36" N 23
Beech 11 ft 3/4 S 30 W 20
East Between Sec. 10 & 15 On Handson
9.00 Crossed A. Brook 10 ft North
10.00 Temporary g^r. Sec. post
79.86 Intersected Sec. line 70 ft South of post
Sand & timber same thickly
West Corrected
14.36 A. Poplar 24 in. diam.
39.93 g^r. Sec. corner Beech 12 ft 62" N 5
B. Oak 12 ft 89" E 30
79.86 Section corner
North Between Sec. 9 & 10
22.40 A. B. Oak 26 in. diam.
40.00 g^r. Sec. corner Sugar 4 ft 65 1/2" N 2
do 15 ft 46" E 17
44.00 Crossed Brook 15 ft N 20 W
80.00 Set post corner of Sec. 3, 4, 9, 10
Beech 10 ft 10 1/2" N 19
Sugar 150 E 3 1/2
Sand broken with large ridges & large shells 3rd rate
Beech 11 ft 3/4 N 23 Oak 12 ft 3/4 S 30 W 20
East Between Sec. 3 & 10 On Handson
40.00 Temporary g^r. Sec. post
79.80 Intersected Sec. line 78 ft South of post, Sand
high dividing ridges. Some pretty good sand 2nd & 3rd rate
Beech 11 ft 3/4 N 23 Oak 12 ft 3/4 S 30 W 20
West Corrected
17.78 A. N. Oak 15 in. diam.
39.90 g^r. Sec. corner N. Oak 12 ft 53" E 13
Dogwood 6 ft 89" N 24
79.80 Section corner.

North Between Sec. 3 & 4
20.48 A. Hickory 18 in. diam.
36.50 Crossed A. Brook 5 ft West
40.00 g^r. Sec. corner Beech 10 ft 53" E 36
do 12 ft 1/2 E 17
69.50 Crossed A. Brook 15 ft West
82.40 Intersected Town Boundary 2 1/2 ft E. of post
Sand rough & rocky hills 3rd rate
Beech 14 ft 7 1/2" N 9
do 9 ft 8 E 21
North Between Sec. 32 & 33
12.00 A. N. Oak 26 in. diam.
40.00 g^r. Sec. corner N. Oak 18 ft 5 1/2" E 8
Hickory 18 ft 6 N 55
53.30 A. Pin. Oak 18 in. diam.
67.50 Crossed A. Brook 15 ft S 60 W
80.00 Set post corner of Sec. 28, 29, 32, 33
N. Oak 14 ft 6 1/2" E 15
do 12 ft 53" N 30
Sand somewhat broken 3rd rate N. Oak, Beech, Hickory, Gum, Dogwood & Sassafras
East Between Sec. 28 & 33 On Handson
15.50 A. Brook 10 ft South
40.00 Temporary g^r. Sec. post
80.40 Intersected Sec. line 16 ft South of post
Sand very broken steep & short, hills 3rd rate
N. Oak 14 ft 3/4 N 23 Oak 12 ft 3/4 S 30 W 20
West Corrected
40.20 g^r. Sec. corner B. Oak 24 ft 12
N. Oak 12 ft 34 E 15
80.40 Section corner
North Between Sec. 28 & 29
10.30 A. N. Oak 18 in. diam.
40.00 g^r. Sec. corner N. Oak 18 ft 1 N 24
No other timber near

63.35 A. N. Oak 14 in. diam.
80.00 Set post corner of Sec. 20, 21, 28, 29
N. Oak 12 ft 56" E 25
Hickory 10 ft 38" N 22
Sand very shelly & bad thickets of Ironwood
Sassafras, Spruce, Pinus 3rd rate
East Between Sec. 21 & 28 On Handson
40.00 Temporary g^r. Sec. post
80.42 Intersected Sec. line 40 ft North of post
Sand 3rd rate
West Corrected
40.21 g^r. Sec. corner N. Oak 18 ft 37" N 70
Poplar 12 ft 30 E 16
80.42 Section corner
North Between Sec. 20 & 21
22.00 A. N. Oak 14 in. diam.
38.50 Crossed A. Brook 20 ft West
40.00 g^r. Sec. corner Sassafras 9 ft 44" N 24
Dogwood 6 ft North 23
80.00 Set post corner of Sec. 16, 17, 20, 21
N. Oak 12 ft 16" E 11
do 20 ft 34" N 30
Sand very broken & shelly & Ironwood, Dogwood, Spruce, Pinus & birch 3rd rate
East Between Sec. 16 & 21 On Handson. Set 12 ft
40.00 Temporary g^r. Sec. post
80.08 Intersected Sec. line 30 ft North of post
Sand shelly 3rd rate. N. Oak, Hickory, Beech, Gum, Dogwood, Sassafras
West Corrected
40.04 g^r. Sec. corner Beech 15 ft 32" N 17
do 14 ft 9 E 25
80.08 Section corner
North Between Sec. 16 & 17
11.45 A. B. Oak 18 in. diam.

40.00 g^r. Sec. corner N. Oak 18 ft 40" N 32
do 14 ft 7 N 32
59.14 A. N. Oak 18 in. diam.
80.00 Set post corner of Sec. 8, 9, 16, 17
N. Oak 30 ft 3 N 36
Beech 15 ft 48 E 21
Sand shelly & poor 3rd rate. N. Oak, Beech, Gum, Sassafras, Dogwood, Ironwood, Sassafras
East Between Sec. 9 & 16 On Handson
40.00 Temporary g^r. Sec. post
80.18 Intersected Sec. line 18 ft South of post
Sand & timber same
West Corrected
11.16 A. Gum 18 in. diam.
40.09 g^r. Sec. corner Beech 3 ft 21 E 16
N. Oak 10 ft 7 E 21 1/2
80.18 Section corner
North Between Sec. 8 & 9
11.20 A. Beech 18 in. diam.
40.00 g^r. Sec. corner Gum 20 ft 29" N 13
Beech 10 ft 9 E 36
76.75 A. Beech 15 in. diam.
80.00 Set post corner of Sec. 4, 5, 8, 9
B. Oak 24 ft 15" N 46
N. Oak 24 ft 13 E 28
Sand very shelly steep & high. N. Oak, Beech, Gum, Beech, Hickory, Dogwood, Sassafras 3rd rate
East Between Sec. 4 & 9 On Handson
20.00 Crossed A. Brook 10 ft North
27.50 Crossed A. Brook 20 ft N 20 W
40.00 Temporary g^r. Sec. post
80.35 Intersected Sec. line 25 ft South of post
Sand rough & shelly, poor 3rd rate. N. Oak, Beech, Gum, Sassafras, Dogwood, Ironwood, Sassafras
B. Oak 18 ft 1/2

80.00 Set post corner of Sec. 9, 10, 15, 16
N. Oak 18 ft 36" N 23
do 14 ft 1 1/2" E 44
Land Hilly poor 3rd rate. N. Oak 18 ft 36" N 23
Beech 10 ft 12" S 45 W 15
East Between Sec. 10 & 15 On Random
9.00 Crossed H. Brook 10 ft 10" North
10.00 Temporary gr. Sec. post
79.86 Intersected Sec. line 70 ft 10" South of post
Land & timber same vicinity
West corrected
14.36 A. Poplar 24 in. diam.
39.93 gr. Sec. corner Beech 12 ft 62" N 5
B. Oak 12 ft 89" E 30
79.86 Section corner
North Between Sec. 9 & 10
22.40 A. B. Oak 26 in. diam.
40.00 gr. Sec. corner Sugar 4 ft 65" N 2
do 15 ft 46" E 17
44.00 Crossed Brook 15 ft 20" N
80.00 Set post corner of Sec. 3, 4, 9, 10
Beech 10 ft 17" N 19
Sugar 350 E 32
Land Broken with high ridges & deep gullies 3rd rate
Beech, N. Oak, Sugar, Poplar, Gum, Iron Dogwood, hickory
East Between Sec. 3 & 10 On Random
40.00 Temporary gr. Sec. post
79.80 Intersected Sec. line 78 ft 10" South of post, same
high dividing ridges. Some pretty good land 2nd 3rd rate
Beech, Poplar, N. Oak, Beech, Hickory, Dogwood, etc.
West corrected
17.78 A. N. Oak 15 in. diam.
39.90 gr. Sec. corner N. Oak 12 ft 59" E 13
Dogwood 6 ft 89" N 24
79.80 Section corner.

North Between Sec. 3 & 4
20.48 A. Hickory 18 in. diam.
36.50 Crossed H. Brook 5 ft 10" West
40.00 gr. Sec. corner Beech 10 ft 53" E 36
do 12 ft 1 1/2" E 17
69.50 Crossed H. Brook 15 ft 10" West
82.40 Intersected Town Boundary 2 ft 8 1/2" E. of post
Land rough & rocky hills 3rd rate
Beech 14 ft 77" N 9
do 9 ft 48" E 21
North Between Sec. 32 & 33
12.00 A. N. Oak 26 in. diam.
40.00 gr. Sec. corner N. Oak 18 ft 54" E 8
Hickory 18 ft 6" N 55
53.30 A. Pine Oak 18 in. diam.
67.50 Crossed H. Brook 15 ft 10" N
80.00 Set post corner of Sec. 28, 29, 32, 33
N. Oak 14 ft 67" E 15
do 12 ft 53" N 30
Land somewhat broken 3rd rate N. Oak, Beech, Hickory, Gum, Dogwood, etc.
East Between Sec. 28 & 33 On Random
15.50 A. Brook 10 ft 10" South
40.00 Temporary gr. Sec. post
80.40 Intersected Sec. line 10 ft 10" South of post
Land very broken steep & short, hills 3rd rate
N. Oak, Beech, Hickory, Iron Dogwood, etc.
West corrected
40.20 gr. Sec. corner B. Oak 24 ft 12" N 12
N. Oak 12 ft 34" E 45
80.40 Section corner
North Between Sec. 28 & 29
10.30 A. N. Oak 18 in. diam.
40.00 gr. Sec. corner N. Oak 18 ft 1" N 24
No other timber near

63.35 A. N. Oak 14 in. diam.
80.00 Set post corner of Sec. 20, 21, 28, 29
N. Oak 12 ft 56" E 25
Hickory 10 ft 38" N 22
Land very hilly & bad thickets of Ironwood, Sassafras, grape, C. 3rd rate
East Between Sec. 21 & 28 On Random
40.00 Temporary gr. Sec. post
80.42 Intersected Sec. line 40 ft 10" North of post
Land 3rd same
West corrected
40.21 gr. Sec. corner N. Oak 18 ft 37" N 70
Poplar 12 ft 30" E 16
80.42 Section corner
North Between Sec. 20 & 21
22.00 A. N. Oak 14 in. diam.
38.50 Crossed H. Brook 20 ft 10" West
40.00 gr. Sec. corner Sassafras 9 ft 44" N 14
Dogwood 6 ft 10" N 23
80.00 Set post corner of Sec. 16, 17, 20, 21
N. Oak 12 ft 16" E 11
do 20 ft 34" N 30
Land very broken & thickets of Ironwood, Dogwood, grape, C. 3rd rate
East Between Sec. 16 & 21 On Random. Sec. 12 ft
40.00 Temporary gr. Sec. post
80.08 Intersected Sec. line 30 ft 10" North of post
Land hilly 3rd rate. N. Oak, Beech, Hickory, Beech, Gum, Iron Dogwood, Sassafras
West corrected
40.04 gr. Sec. corner Beech 15 ft 32" N 17
do 14 ft 9" E 25
80.08 Section corner
North Between Sec. 16 & 17
11.45 A. B. Oak 18 in. diam.
40.00 gr. Sec. corner N. Oak 18 ft 40" N 32
do 14 ft 7" N 32
59.14 A. N. Oak 18 in. diam.
80.00 Set post corner of Sec. 8, 9, 16, 17
N. Oak 30 ft 33" N 36
Beech 15 ft 48" E 21
Land Hilly & poor 3rd rate. N. Oak, Beech, Hickory, Gum, Iron Dogwood, Sassafras
East Between Sec. 9 & 16 On Random
40.00 Temporary gr. Sec. post
80.18 Intersected Sec. line 18 ft 10" South of post
Land & timber same
West corrected
11.16 A. Gum 18 in. diam.
40.09 gr. Sec. corner Beech 3 ft 21" E 16
N. Oak 10 ft 7" E 21 1/2
80.18 Section corner
North Between Sec. 8 & 9
11.20 A. Beech 18 in. diam.
40.00 gr. Sec. corner Gum 20 ft 29" N 13
Beech 10 ft 9" E 36
76.75 A. Beech 15 in. diam.
80.00 Set post corner of Sec. 4, 5, 8, 9
B. Oak 24 ft 15" N 46
N. Oak 24 ft 13" E 28
Land very hilly steep & high. N. Oak, Beech, Gum, Beech, Hickory, Bk. Oak, Dogwood, Sassafras 3rd rate
East Between Sec. 4 & 9 On Random
20.00 Crossed H. Brook 10 ft 10" North
27.50 Crossed H. Brook 20 ft 10" N
40.00 Temporary gr. Sec. post
80.35 Intersected Sec. line 25 ft 10" South of post
Land rough & hilly, poor 3rd rate. N. Oak, Beech, Hickory, Gum, Iron Dogwood, Sassafras, Bk. Oak, etc.

West Corrected Between Sec: 40 & 41
 10.24 A. Gum 18 in. diam.
 40.17 1/2 gr. Sec. corner N. Oak 18 S 58 E 27
 do 16 S 53 N 46
 80.35 Section corner
 North Between Sec: 40 & 41
 38.00 Crossed A. Brook 50 lbs West
 40.00 gr. Sec. corner Sugar 18 S 31 N 50
 Blue 12 S 16 E 28
 40.50 Crossed A. Brook 40 lbs S 45 W
 73.00 A. W. Oak 18 in. diam.
 82.47 Intersected Township Boundary 2 1/2 lbs East of post
 Beech 12 S 45 W 6
 do 10 S 63 E 18
 Sand Hilly, high & steep 3rd rate W.B. Oak, Beech,
 Gum, some sugar along the bottom. Some Stones
 North Between Sec: 31 & 32 / Sept. 13th
 28.40 A. W. Oak 14 in. diam.
 40.00 gr. Sec. corner N. Oak 20 North 20
 No other timber near
 58.00 A. Brook 18 lbs West
 80.00 Set post corner to Sec: 29, 30, 31, 32
 N. Oak 14 S 73 E 2
 do 18 S 71 N 49
 Sand Hilly, very high & steep W.B. Oak, Beech, Gum, the
 Saplings, Oak, Buck & Green Briars &c.
 East Between Sec: 29 & 32 On Transition
 40.00 Temporary gr. Sec. post
 80.30 Intersected Sec. line 5 1/2 lbs South of post
 Sand Hilly & thickety. W.B. Oak, Beech, Gum, Saplings
 West Corrected
 40.15 gr. Sec. corner B. Oak 10 S 58 E 15
 Beech 7 S 59 N 26
 80.30 Section corner

West Between Sec: 30 & 31
 17.60 A. W. Oak 18 in. diam.
 40.00 gr. Sec. corner Sugar 14 S 47 N 23
 do 12 S 34 1/2 N 23
 48.50 Crossed A. Brook 20 lbs S 80 W
 76.50 Intersected Town line 80 lbs North of post
 Hickory 14 S 34 N 4
 do 12 S 72 E 26
 Sand high, high & steep 3rd rate W.B. Oak, Beech,
 B. Oak, Gum, Hickory, Poplar, Ironwood, Sapling
 North Between Sec: 29 & 30
 38.75 A. W. Oak 12 in. diam.
 40.00 gr. Sec. corner Hickory 8 S 65 N 12 1/2
 B. Oak 4 S 60 E 4
 57.26 A. W. Oak 14 in. diam.
 80.00 Set post corner of Sec: 19, 20, 29, 30
 B. Oak 14 S 7 N 9 1/2
 Dogwood 6 S 16 N 23
 Sand Hilly, very thickety 3rd rate W.B. Oak,
 Hickory, Gum, Oak, Beech, Dogwood, Sapling
 East Between Sec: 20 & 29 On Transition
 40.00 Temporary gr. Sec. post
 80.00 Intersected Sec. line 50 lbs South of post
 Sand same very Hilly &c.
 West Corrected
 40.00 gr. Sec. corner Hickory 12 S 6 E 20
 do 3 S 21 N 4
 80.00 Section corner Sept 14th
 West Between Sec: 19 & 30
 39.78 A. B. Oak 24 in. diam.
 40.00 gr. Sec. corner B. Oak 14 S 53 N 49
 N. Oak 20 S 46 E 13
 76.65 Intersected Town line 63 lbs North of post
 Poplar 12 S 53 N 31
 Ironwood 6 S 55 E 15
 Sand & timber same

North Between Sec: 19 & 20
 18.00 Crossed A. Brook 20 lbs S 40 W
 24.90 A. W. Oak 24 in. diam.
 40.00 gr. Sec. corner Beech 4 S 86 E 26
 Hickory 14 S 83 N 45
 70.45 A. Gum 14 in. diam.
 80.00 Set post corner to Sec: 17, 18, 19, 20
 N. Oak 15 S 22 E 32
 Hickory 9 S 18 N 11
 Sand Hilly, broken & steep 3rd rate W.B. Oak,
 Gum, Hickory, Poplar, Saplings, Dogwood, Ironwood
 East Between Sec: 17 & 20 On Transition
 40.00 Temporary gr. Sec. post
 80.24 Intersected Sec. line 64 lbs North of post
 Sand rough & Hilly 3rd rate timber &c. same
 West Corrected
 40.12 gr. Sec. corner Beech 12 S 71 E 23
 Maple 12 S 53 E 15 1/2
 80.24 Section corner
 West Between Sec: 18 & 19
 10.00 Crossed A. Brook 15 lbs S 40 W
 15.50 A. Poplar 48 in. diam.
 40.00 gr. Sec. corner Beech 4 S 13 E 12
 do 10 S 11 N 23
 57.46 A. W. Oak 20 in. diam.
 76.74 Intersected Town line 35 lbs North of post
 Hickory 10 S 29 E 28
 do 14 S 32 E 32
 Sand very Hilly & thickety. W.B. Oak, Beech,
 Hickory, Beech, Gum, Dogwood & Briars
 North Between Sec: 17 & 18
 10.00 Crossed A. Brook 15 lbs S 40 E
 31.50 A. W. Oak 14 in. diam.
 40.00 gr. Sec. corner Ironwood 6 S 54 N 1 1/2
 Poplar 24 S 79 E 25
 56.00 A. W. Oak 26 in. diam.
 80.00 Set post corner of Sec: 7, 8, 17, 18
 Hickory 10 S 3 1/2 N 15
 Beech 14 S 18 E 23
 Sand broken & Hilly steep guts. W.B. Oak, Beech,
 Gum & Hickory, Poplar, Dogwood, Saplings, briars 3rd rate
 East Between Sec: 8 & 17 On Transition
 40.00 Temporary gr. Sec. post
 80.40 Intersected Sec. line 65 lbs North of post
 Sand very Hilly 3rd rate, W.B. Oak, Beech, Gum, Hickory,
 some Poplar, Poplar, Dogwood, Saplings &c.
 West Corrected Sept. 15th
 40.20 gr. Sec. corner Beech 14 S 54 N 38
 Gum 10 S 32 E 15
 80.40 Section corner
 West Between Sec: 7 & 18
 20.58 A. W. Oak 18 in. diam.
 40.00 gr. Sec. corner Gum 14 S 16 E 4
 Beech 6 S 28 N 22
 60.17 A. B. Oak 20 in. diam.
 76.88 Intersected Town line 15 lbs North of post
 Beech 14 S 69 N 21
 do 12 S 24 E 22
 Sand Hilly & steep. W.B. Oak, Hickory, Gum,
 Beech, Gum, Ironwood & Dogwood
 North Between Sec: 7 & 8
 26.90 A. B. Oak 26 in. diam.
 40.00 gr. Sec. corner Beech 15 North 23
 do 6 S 60 E 1
 80.00 Set post corner of Sec: 5, 6, 7, 8
 Beech 10 S 8 N 14
 do 10 S 38 E 12
 Sand high & Hilly ridges. W.B. Oak, Beech,
 Gum, Beech, Gum, Ironwood & Dogwood 3rd rate

East Between Sec. 5 & 8 on Sandstone
 40.00 Temporary 7th Sec. post
 80.38 Intersected Sec. line 25 lbs North of post
 Land Broken Star gullies almost impassable.
 (W.B. Oak. Beech. Gum. Map. Dogwood & Logwood &c.)
 West Corner
 40.19 7th Sec. corner Hickory 12 ft 49 E 21
 Beech 6 ft 56 N 70
 80.38 Section corner
 West Between Sec. 6 & 7
 18.30 A.B. Oak 18 in. diam.
 40.00 7th Sec. corner Chas. Oak 20 ft 23 N 19
 do 24 ft 55 E 28
 74.14 Intersected Town boundary 63 lbs South of post
 Gum 14 ft 40 E 8
 Dogwood 4 ft 8 N 21
 Land fully high & steep. W.B. Oak. Hickory
 Beech. Map. Dogwood & Ironwood 3rd rate
 North Between Sec. 5 & 6
 40.00 7th Sec. corner Sugar 12 ft 8 E 53
 Beech 4 ft 50 E 15
 82.52 Intersected Town boundary 30 lbs East of post
 Sugar 15 ft 59 E 29
 Beech 12 ft 41 N 18
 Land Rough. Heavy high hills & steep gullies.
 W.B. Oak. Beech. Gum. Map. Dogwood &c. 3rd rate
 Surveyed by A. C. Sohier D. S.

T. 13 N. R. 3 E.
 Notes of the Survey of Island No. 1
 made by direction of the Com.
 of Land. L. O. (in his order of Sept. 8, 1849)
 assumed Var. 5° 22' E.
 Made a beginning corner at the
 most Southern point of said
 Island, from which a
 Maple 16 in dia lat. N. 30° N 114.5
 Cottonwood 30 " " " S. 35° N 45.
 Thence
 N. 55 E 2.22 Sycamore 14.
 " 11.30 " 18.
 N. 61 E 6.38 Maple 6
 " 11.50 " "
 N. 40 E 2.05 Sycamore 18
 N. 30 E 8.00 "
 N. 10 W 3.32 Maple 20
 " 5.75 "
 N. 57 W 4.25 Cottonwood 30.
 S. 81 W 4.05 Sycamore 10
 S. 60 W 3.00 to Corner from which
 Maple 9, N. 86° W 26 +
 Ash 6. S. 63 E. 72.
 From this corner a Bayou
 enters on opposite side.
 Bearing from cor to mouth
 N. 21 E. 350 lbs. Thence
 in old channel of River
 including one third.
 Maple 5 in dia.
 S. 38 W 4.50 "
 S. 20 W 3.30 "
 S. 27 W 5.00 "
 S. 35 W 2.91 Maple 8 in dia.
 S. 50 " 8.50 To old River bed bearing S. 6.
 N. 89 W 8.75 To main White River &
 Set post from which
 Honey Locust S. S. 12 E. 86
 Cottonwood 12 S. 13 E. 100.
 Thence
 S. 32 E 11.00 to Beginning.
 about one half of this Island
 is in cultivation and is excellent
 soil. liable however to overflow
 in high freshets. The residue is
 low land, Maple & Cottonwood
 overflowing every rise of 3 or 4 feet.
 South
 3.50 From Beginning post
 23.44 To left bank of River a Bayou.
 To post on S. line of sec. 6. 34.00
 lat. N. of the S. E. corner of S. 2nd Sec.
 Surveyed Oct. 27 & 29, 1849
 by Franklin Hardin
 Surveyor.

T. 13 N. R. 3 E, 2nd Mer.
 Survey of Island No. 1 in
 Section 6, from post
 on S. end of Island No. 2.
 Thence
 N. 34 E 5.00 to post on S. end of
 Island No. 1, Thence
 N. 59 E 15.00
 N. 34 E 11.00
 N. 63 E 2.00
 N. 43 E 9.00
 N. 20 E 7.00
 North 3.00
 N. 33 W 5.00
 N. 62 W 3.00
 West 9.00
 N. 11 W 7.00
 N. 57 W 5.00
 N. 22 W 5.00
 N. 16 W 5.00
 N. 26 E 3.00
 N. 57 E 7.00
 N. 79 W 11.00
 N. 70 W 3.00
 S. 79 W 2.00
 S. 44 W 7.00
 S. 37 E 12.00
 S. 47 E 5.00
 S. 17 E 10.00
 S. 17 W 7.00
 S. 57 W 12.00
 S. 15 E 16.00 To post on S. end of Island
 Land & Water. Elm. Gum
 Sycamore &c.
 This Island is under
 cultivation at present by Thos.
 Brecklow, who purchased a pre-
 emptive right from Samuel
 St. John Esqy 25, 1848.
 Oct. 19, 1848,
 A. E. Van Ness D. S.
 Note by Clerk in Int. Gen. Office
 in platting this island

it is found to embrace a large por-
 tion of lands already sold by the U.S.
 The amount of land in Island, ex-
 clusive of that sold is 44.42 acres.
 J. Mung.

Survey of Island No. 2, in
 Sec. 6 & 7. From post on line
 of said Sec. on E. side of Island.

North 14.00
 N. 8 W 9.00
 S. 5 W 11.00
 West 9.00
 S. 13 W 3.00
 S. 18 E 8.00
 South 2.00
 S. 18 E 10.00 at 2.90 line of Sec. 6 & 7
 S. 43 E 2.00
 S. 78 E 5.00
 N. 88 E 3.00
 N. 46 E 2.00
 N. 18 E 6.00
 N. 33 E 3.40 To place of Beginning.
 Land 2nd rate. Further
 Elm Sycamore. Maple. Elm
 Hackberry &c. Oct. 18, 1848,
 A. E. Van Ness
 D. S.

For Re-survey of Island No. 1, as
 above given see on page back.